

PeliKine compact human IL-6 kit (M1916)

Kit cover sheet

Date of compilation: 2021-06-07

Composition/information on ingredients

Hazardous components (including safety data sheet)

Components	Classification acc. to GHS	Pictograms	Page
HPE buffer	Eye Irrit. 2 / H319	<u>(1)</u>	2-12

Non hazardous components (no safety data sheet attached)

Components		
Coating antibody		
Blocking reagent		
Biotinylated antibody		
streptavidin-poly-HRP conjugate		
IL-6 standard		



acc. to Safe Work Australia - Code of Practice

HPE buffer

Version number: 1.0 Date of compilation: 2021-06-03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name HPE buffer
Article number M1940, M9161

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses For research use only

Uses advised against

Not suitable for in vitro diagnostic use.

1.3 Details of the supplier of the safety data sheet

Sanquin Plesmanlaan 125 1066 CX Amsterdam

Netherlands

Telephone: +31 20 512 3599 e-mail: reagents@sanquin.nl

Website: www.sanquin.org/reagents

e-mail (competent person) CSVAM@sanquin.nl

1.4 Emergency telephone number

Emergency information service +31 20 512 359

This number is only available during the following office hours: Mon-

Fri 09:00 AM - 05:00 PM, (CET)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling

- signal word Warning

- pictograms

GHS07



- hazard statements

H319 Causes serious eye irritation.

- precautionary statements

P280 Wear eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

Of no significance.

Australia: en Page: 1 / 11



acc. to Safe Work Australia - Code of Practice

HPE buffer

Version number: 1.0 Date of compilation: 2021-06-03

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

The product does not contain any other ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
tetrasodium ethylene- diaminetetraacetate	CAS No 64-02-8	1-<2.5	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Eye Dam. 1 / H318 STOT RE 2 / H373		

Remarks

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a POISON CENTER or doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

Australia: en Page: 2 / 11



acc. to Safe Work Australia - Code of Practice

HPE buffer

Version number: 1.0 Date of compilation: 2021-06-03

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry extinguishing powder; Carbon dioxide (CO2); Co-ordinate firefighting measures to the fire surroundings

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia: en Page: 3 / 11



acc. to Safe Work Australia - Code of Practice

HPE buffer

Version number: 1.0 Date of compilation: 2021-06-03

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight. Frost.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

No information available. Countries not listed may have their own country specific values.

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture

Tiolovality B11220 of Gothporisonic Grand mixture						
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	1.5 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	3 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	0.6 mg/m ³	human, inhalatory	consumer (private households)	chronic - local ef- fects
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	1.2 mg/m ³	human, inhalatory	consumer (private households)	acute - local effects
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	25 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

Australia: en Page: 4 / 11





acc. to Safe Work Australia - Code of Practice

HPE buffer

Version number: 1.0 Date of compilation: 2021-06-03

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	2.2 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	0.22 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	43 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	0.72 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection

Skin protection

Chemical protective clothing.

- hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

type of material

PVC: polyvinyl chloride, CR: chloroprene (chlorobutadiene) rubber, Nitrile rubber

- material thickness

Use gloves with a minimum material thickness: ≥ 0,38 mm.

- breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).

Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

Australia: en Page: 5 / 11



acc. to Safe Work Australia - Code of Practice

HPE buffer

Version number: 1.0 Date of compilation: 2021-06-03

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	light yellow
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C calculated value, referring to a component of the mixture
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	LEL: UEL: not determined
Flash point	not determined not applicable
Auto-ignition temperature	not determined
Decomposition temperature	no data available
pH (value)	8
Kinematic viscosity	not determined
Solubility(ies)	not determined

|--|

Vapour pressure	0 Pa at 20 °C calculated value, referring to a component of the mixture
-----------------	---

Density	not determined
Relative vapour density	this information is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

There is no additional information.

Australia: en Page: 6 / 11



acc. to Safe Work Australia - Code of Practice

HPE buffer

Version number: 1.0 Date of compilation: 2021-06-03

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture						
Name of substance	CAS No	Exposure route	ATE			
tetrasodium ethylenediaminetetraacetate	64-02-8	oral	1,913 ^{mg} / _{kg}			
tetrasodium ethylenediaminetetraacetate	64-02-8	inhalation: dust/mist	1.5 ^{mg} / _l /4h			

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
tetrasodium ethylenediaminetetraacet- ate	64-02-8	oral	LD50	1,913 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Australia: en Page: 7 / 11



acc. to Safe Work Australia - Code of Practice

HPE buffer

Version number: 1.0 Date of compilation: 2021-06-03

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture						
Name of substance	CAS No	Endpoint	Value	Species	Exposure time	
tetrasodium ethylenediaminetet- raacetate	64-02-8	LC50	41 ^{mg} / _l	fish	96 h	
tetrasodium ethylenediaminetet- raacetate	64-02-8	EC50	140 ^{mg} / _l	aquatic invertebrates	48 h	

Aquatic toxicity (chronic) of components of the mixture							
Name of substance	CAS No	Endpoint	Value	Species	Exposure time		
tetrasodium ethylenediaminetet- raacetate	64-02-8	NOEC	≥25.7 ^{mg} /	fish	35 d		
tetrasodium ethylenediaminetet- raacetate	64-02-8	LOEC	50 ^{mg} / _I	aquatic invertebrates	21 d		
tetrasodium ethylenediaminetet- raacetate	64-02-8	growth (EbCx) 20%	>500 ^{mg} / _I	microorganisms	30 min		

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Australia: en Page: 8 / 11



acc. to Safe Work Australia - Code of Practice

HPE buffer

Version number: 1.0 Date of compilation: 2021-06-03

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number	not subject to transport regulations
----------------	--------------------------------------

14.2 UN proper shipping name not relevant
 14.3 Transport hazard class(es) not assigned

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regu-

lations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No data available.

Information for each of the UN Model Regulations

Transport information - national regulations - additional information (UN RTDG)

Not subject to transport regulations: UN RTDG

International Maritime Dangerous Goods Code (IMDG) - additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

Not subject to ICAO-IATA.

Australia: en Page: 9 / 11



acc. to Safe Work Australia - Code of Practice

HPE buffer

Version number: 1.0 Date of compilation: 2021-06-03

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations (Australia)

Australian Inventory of Chemical Substances (AICS)

All ingredients are listed or exempt from listing.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Revision

Date of compilation: 2021-06-03. Version number: 1.0. Date format: (YYYY-MM-DD).

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
	·
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
LOEC	Lowest Observed Effect Concentration
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration

Australia: en Page: 10 / 11



acc. to Safe Work Australia - Code of Practice

HPE buffer

Version number: 1.0 Date of compilation: 2021-06-03

Abbr.	Descriptions of used abbreviations				
STOT RE	Specific target organ toxicity - repeated exposure				
UEL	Upper explosion limit (UEL)				
UN RTDG	UN Recommendations on the Transport of Dangerous Good				
vPvB	Very Persistent and very Bioaccumulative				

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text				
H302	Harmful if swallowed.				
H318	Causes serious eye damage.				
H319	Causes serious eye irritation.				
H332	Harmful if inhaled.				
H373	May cause damage to organs through prolonged or repeated exposure.				

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia: en Page: 11 / 11



PeliKine tool set 1 (M1980)

Kit cover sheet

Date of compilation: 2021-06-07

Composition/information on ingredients

Hazardous components (including safety data sheet)

Components	Classification acc. to GHS	Pictograms	Page
Stop solution			2-12

Non hazardous components (no safety data sheet attached)

Components				
Coating buffer capsules				
PBS tablets				
Washing buffer				
TMB substrate solution				



acc. to Safe Work Australia - Code of Practice

Stop solution

Version number: 1.0 Date of compilation: 2021-06-03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Stop solution

Article number M198005

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses For research use only

Uses advised against

Not suitable for in vitro diagnostic use.

1.3 Details of the supplier of the safety data sheet

Sanquin Plesmanlaan 125 1066 CX Amsterdam Netherlands

Telephone: +31 20 512 3599 e-mail: reagents@sanquin.nl

Website: www.sanquin.org/reagents

e-mail (competent person) CSVAM@sanquin.nl

1.4 Emergency telephone number

Emergency information service +31 20 512 359

This number is only available during the following office hours: Mon-

Fri 09:00 AM - 05:00 PM, (CET)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This mixture does not meet the criteria for classification.

2.2 Label elements

Labelling

Not required.

2.3 Other hazards

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

The product does not contain any ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Australia: en Page: 1 / 11



acc. to Safe Work Australia - Code of Practice

Stop solution

Version number: 1.0 Date of compilation: 2021-06-03

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
sulphuric acid %	CAS No 7664-93-9	1 - < 2.5	Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318		B(a) IARC: 1 RoC "Known"

Notes

B(a): The classification refers to an aqueous solution

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)

RoC NTP-RoC: Known To Be A Human Carcinogen

"Known":

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a POISON CENTER or doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry extinguishing powder; Carbon dioxide (CO2);

Co-ordinate firefighting measures to the fire surroundings

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Australia: en Page: 2 / 11



acc. to Safe Work Australia - Code of Practice

Stop solution

Version number: 1.0 Date of compilation: 2021-06-03

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

- handling of incompatible substances or mixtures
- keep away from

Caustic solutions

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

 $\label{thm:light} \mbox{High temperatures. } \mbox{UV-radiation/sunlight. Frost.}$

Australia: en Page: 3 / 11



acc. to Safe Work Australia - Code of Practice

Stop solution

Version number: 1.0 Date of compilation: 2021-06-03

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Countries not listed may have their own country specific values.

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntry	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Nota- tion	Source
AU	sulfuric acid	7664-93-9	WES		1		3		WES

Notation

STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

otherwise specified

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
sulphuric acid %	7664-93-9	DNEL	0.05 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
sulphuric acid %	7664-93-9	DNEL	0.1 mg/m ³	human, inhalatory	worker (industry)	acute - local effects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
sulphuric acid %	7664-93-9	PNEC	0.003 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
sulphuric acid %	7664-93-9	PNEC	0 ^{mg} / _l	aquatic organisms marine water		short-term (single instance)
sulphuric acid %	7664-93-9	PNEC	8.8 ^{mg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
sulphuric acid %	7664-93-9	PNEC	0.002 ^{mg} / _{kg}	aquatic organisms freshwater sediment		short-term (single instance)
sulphuric acid %	7664-93-9	PNEC	0.002 ^{mg} / _{kg}	aquatic organisms marine sediment s		short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Australia: en Page: 4 / 11





acc. to Safe Work Australia - Code of Practice

Stop solution

Version number: 1.0 Date of compilation: 2021-06-03

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection

Skin protection

Chemical protective clothing.

- hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- type of material

PVC: polyvinyl chloride, CR: chloroprene (chlorobutadiene) rubber, Nitrile rubber

- material thickness

Use gloves with a minimum material thickness: ≥ 0,38 mm.

- breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).

Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid		
Colour	colourless		
Odour	characteristic		
Melting point/freezing point	not determined		
Boiling point or initial boiling point and boiling range	100 °C calculated value, referring to a component of the mixture		
Flammability	non-combustible		
Lower and upper explosion limit	LEL: UEL: not relevant		
Flash point	not applicable		
Auto-ignition temperature	not relevant		

Australia: en Page: 5 / 11



acc. to Safe Work Australia - Code of Practice

Stop solution

Version number: 1.0 Date of compilation: 2021-06-03

Decomposition temperature	no data available	
pH (value)	1.2 (acid)	
Kinematic viscosity	not determined	
Solubility(ies)	not determined	

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	not determined
-----------------	----------------

Density	1.01 ^g / _{cm³} at 20 °C
Relative vapour density	1 (water = 1)
Relative density	this information is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

There is no additional information.

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant		
Other safety characteristics	there is no additional information		

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers.

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

Australia: en Page: 6 / 11



acc. to Safe Work Australia - Code of Practice

Stop solution

Version number: 1.0 Date of compilation: 2021-06-03

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
sulphuric acid %	7664-93-9	inhalation: vapour	3 ^{mg} / _l /4h
sulphuric acid %	7664-93-9	inhalation: dust/mist	0.85 ^{mg} / _l /4h

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
sulphuric acid %	7664-93-9	oral	LD50	2,140 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Australia: en Page: 7 / 11



acc. to Safe Work Australia - Code of Practice

Stop solution

Version number: 1.0 Date of compilation: 2021-06-03

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sulphuric acid %	7664-93-9	EC50	>100 ^{mg} / _I	aquatic invertebrates	48 h
sulphuric acid %	7664-93-9	ErC50	>100 ^{mg} / _I	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sulphuric acid %	7664-93-9	NOEC	0.025 ^{mg} / _l	fish	65 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Australia: en Page: 8 / 11



acc. to Safe Work Australia - Code of Practice

Stop solution

Version number: 1.0 Date of compilation: 2021-06-03

SECTION 14: Transport information

14.1 UN number not subject to transport regulations

14.2 UN proper shipping name not relevant
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regu-

lations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No data available.

Information for each of the UN Model Regulations

Transport information - national regulations - additional information (UN RTDG)

Not subject to transport regulations: UN RTDG

International Maritime Dangerous Goods Code (IMDG) - additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

SECTION 15: Regulatory information

Not subject to ICAO-IATA.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations (Australia)

Australian Inventory of Chemical Substances (AICS)

All ingredients are listed or exempt from listing.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Revision

Date of compilation: 2021-06-03. Version number: 1.0. Date format: (YYYY-MM-DD).

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations			
Acute Tox.	Acute toxicity			
ATE	Acute Toxicity Estimate			
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)			
DGR	Dangerous Goods Regulations (see IATA/DGR)			
DMEL	Derived Minimal Effect Level			
DNEL	Derived No-Effect Level			

Australia: en Page: 9 / 11



Stop solution

Version number: 1.0 Date of compilation: 2021-06-03

Abbr.	Descriptions of used abbreviations		
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval		
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control		
Eye Dam.	Seriously damaging to the eye		
Eye Irrit.	Irritant to the eye		
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)		
ICAO	International Civil Aviation Organization		
IMDG	International Maritime Dangerous Goods Code		
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval		
LEL	Lower explosion limit (LEL)		
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")		
NOEC	No Observed Effect Concentration		
NTP-RoC	National Toxicology Program: Report on Carcinogens		
PBT	Persistent, Bioaccumulative and Toxic		
PNEC	Predicted No-Effect Concentration		
ppm	Parts per million		
Skin Corr.	Corrosive to skin		
Skin Irrit.	Irritant to skin		
STEL	Short-term exposure limit		
TWA	Time-weighted average		
UEL	Upper explosion limit (UEL)		
UN RTDG	UN Recommendations on the Transport of Dangerous Good		
vPvB	Very Persistent and very Bioaccumulative		
	·		

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Australia: en Page: 10 / 11



acc. to Safe Work Australia - Code of Practice

Stop solution

Version number: 1.0 Date of compilation: 2021-06-03

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text			
H314	Causes severe skin burns and eye damage.			
H318	Causes serious eye damage.			
H331	Toxic if inhaled.			

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia: en Page: 11 / 11